

L Number	Hits	Search Text	DB	Time stamp
1	24	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 near2 (job\$5 request\$5 order\$5)) same imag\$5) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 10:11
28	5616	(358/1.15, 715/527).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:41
29	258	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:43
30	68	((358/1.15, 715/527).ccls.) and ((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:42
31	22	((358/1.15, 715/527).ccls.) and ((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:43
34	128	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same (internet\$5 network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:43
35	43	((358/1.15, 715/527).ccls.) and ((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same (internet\$5 network\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:43
36	15	((358/1.15, 715/527).ccls.) and ((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same (internet\$5 network\$5)) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:44
-	25	(print\$5 near2 job\$5) with ((servic\$5 print\$5) adj2 (provider\$5 vendor\$5 servicer\$5)) same (internet\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 15:12
-	7	((print\$5 near2 job\$5) with ((servic\$5 print\$5) adj2 (provider\$5 vendor\$5 servicer\$5)) same (internet\$5)) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:12
-	2	("6330542").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 15:11
-	7277	(358/1.15, 705/8, 705/400).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 15:12
-	48	(print\$5 near2 job\$5) same ((servic\$5 print\$5) adj2 (provider\$5 vendor\$5 servicer\$5)) same (internet\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 15:12
-	7	((358/1.15, 705/8, 705/400).ccls.) and ((print\$5 near2 job\$5) same ((servic\$5 print\$5) adj2 (provider\$5 vendor\$5 servicer\$5)) same (internet\$5)) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 15:17

-	3	((("4765763") or ("5493415") or ("6052479")).PN.	USPAT	2004/05/24 15:17
-	9	(print\$5 near2 (vendor\$5 provider\$5)) with (imag\$5 with (attribut\$5 preferenc\$5 setting\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:10
-	1	(print\$5 near2 (vendor\$5 provider\$5)) with (imag\$5 with (attribut\$5 preferenc\$5 setting\$5)) same (network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:11
-	1	(print\$5 near2 (vendor\$5 provider\$5)) same (imag\$5 with (attribut\$5 preferenc\$5 setting\$5)) same (network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:11
-	0	(print\$5 near2 job\$5 with imag\$5) same (print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (attribut\$5 setting\$5 preference\$5) same network\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:12
-	11	(print\$5 near2 job\$5 with imag\$5) same (print\$5 near2 (provider\$5 vendor\$5 servicer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:13
-	3	((print\$5 near2 job\$5 with imag\$5) same (print\$5 near2 (provider\$5 vendor\$5 servicer\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:14
-	106	(print\$5 near2 imag\$5) same (print\$5 near2 (provider\$5 vendor\$5 servicer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:13
-	25	(print\$5 near2 imag\$5) same (print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same network\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:13
-	3	(print\$5 near2 imag\$5) same (print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same network\$5 same (attribut\$5 setting\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:14
-	0	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 with imag\$5) same (setting\$5 attribut\$5 preference\$5)) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:15
-	14	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 with imag\$5) same (setting\$5 attribut\$5 preference\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:15
-	242	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same imag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:15
-	2533459	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) wiht imag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:15
-	154	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with imag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:20

-	51	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with imag\$5 same network\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:15
-	12	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with imag\$5 same network\$5) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:21
-	22	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 adj3 (setting\$5 attribut\$5 preferenc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:22
-	1	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 adj3 (setting\$5 attribut\$5 preferenc\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:22
-	27	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 adj3 (setting\$5 attribut\$5 preferenc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:22
-	1	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 adj3 (setting\$5 attribut\$5 preferenc\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:23
-	1151	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:31
-	199	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 near2 (job\$5 request\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:22
-	44	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 near2 (job\$5 request\$5)) same (imag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:25
-	10	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 near2 (job\$5 request\$5)) same (imag\$5)) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:26
-	36	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 near2 (job\$5 request\$5)) same (attribut\$5 setting\$5 preferenc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:26
-	4	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) same (print\$5 near2 (job\$5 request\$5)) same (attribut\$5 setting\$5 preferenc\$5)) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:34
-	284	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5 facilit\$5)) same (print\$5 near2 (attribut\$5 request\$5 preferenc\$5 settings\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:42
-	126	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5 facilit\$5)) same (print\$5 near2 (attribut\$5 request\$5 preferenc\$5 settings\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:32

-	336	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5 facilit\$5)) with (print\$5 near2 (job\$5 request\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:35
-	139	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5 facilit\$5)) with (print\$5 near2 (job\$5 request\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:35
-	258	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:45
-	69	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5))) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:45
-	84	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same network\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:42
-	84	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:45
-	16	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same network\$4) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:49
-	87	(print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same imag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 17:49
-	20	((print\$5 near2 (provider\$5 vendor\$5 servicer\$5)) with (print\$5 near2 (job\$5 request\$5 order\$5)) same imag\$5) and @ad<20001110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 13:42